ECHO 100 DIAGNOSTIC IMAGING



FEATURES

The Echo 100 is an echocardiography table designed for sonographers. Our innovative stress echo cut-out allows for obtaining the proper apical views. This feature provides you with a better imaging experience by giving you easier access to your patient and minimize foreshortening.

The Echo 100 easily adjusts to optimize ergonomic positioning for the sonographer while maintaining patient comfort. The backrest raises 90 degrees; the leg section lowers 90 degrees and rises to 85 degrees. This table also features Soft Touch Technology providing you with convenient access to electric hi-lo controls. The maximum lifting capacity is 500 lbs.

Customizable stress echo cut-out(s) are available according to your requirements. Optional items include: assist rail, heel assists, battery powered, and IV hook.

SOFT TOUCH TECHNOLOGY

Cardon's patented Soft Touch Footswitch has been strategically positioned on the base of your imaging table. Minimal amount of pressure applied by your foot will raise and lower the table with ease.





ECHO 100 DIAGNOSTIC IMAGING


STANDARD MODEL:

3 Section Table			
Electric Hi-Lo Control	Soft Touch Technology		
Height Adjustment	19.5" – 37.25"		
Customizable Cut-out(s)	\checkmark		
Examination Paper Holder	\checkmark		
Leg Section Adjustment	Positive locking system		
Center Section	Fixed		
Backrest Adjustment	Gas spring		
Caster System	Dual Lever Retractable (4" casters)		
Frame Construction	High strength seamless tubular frame		
Frame Color	Durable powder coat in White or Gunmetal Grey		
Upholstery Foam	2" thick		
Antimicrobial Naugahyde Upholstery	Over 80 upholstery color options		

SPECIFICATIONS:

Lifting Capacity	500 lbs.
Dimensions	27" x 77" (Customizable width from $25" - 30"$)
Power Supply	120 Volt AC 60 Hz. Max. 2.7 Amp.
Fire Retardant Upholstery	\checkmark

37.25° Max. Height



OPTIONAL ACCESSORIES:

Heel assists	with	installation	brackets

Assist Rail (36" Long)

Battery Powered

IV Hook



ECHO 100 DIAGNOSTIC IMAGING